

## Laboratory Report SC45272

Gulf Oil L.P.  
281 Eastern Avenue  
Chelsea, MA 02150  
Attn: Andrew P. Adams


Project: Gulf Terminal - Chelsea, MA  
Project #: Gulf Chelsea

I attest that the information contained within the report has been reviewed for accuracy and checked against the quality control requirements for each method. These results relate only to the sample(s) as received.  
All applicable NELAC requirements have been met.

Massachusetts # M-MA138/MA1110  
Connecticut # PH-0777  
Florida # E87936  
Maine # MA138  
New Hampshire # 2972/2538  
New Jersey # MA011  
New York # 11393  
Pennsylvania # 68-04426/68-02924  
Rhode Island # LAO00348  
USDA # P330-15-00375  
Vermont # VT-11393



Authorized by:  
Dawn Wojcik  
Laboratory Director



Eurofins Spectrum Analytical holds primary certification in the State of Massachusetts for the analytes as indicated with an X in the "Cert." column within this report. Please note that the State of Massachusetts does not offer certification for all analytes. Please refer to our website for specific certification holdings in each state.

Please note that this report contains 8 pages of analytical data plus Chain of Custody document(s). When the Laboratory Report is indicated as revised, this report supersedes any previously dated reports for the laboratory ID(s) referenced above. Where this report identifies subcontracted analyses, copies of the subcontractor's test report are available upon request. This report may not be reproduced, except in full, without written approval from Eurofins Spectrum Analytical, Inc.

*Eurofins Spectrum Analytical, Inc. is a NELAC accredited laboratory organization and meets NELAC testing standards. Use of the NELAC logo however does not insure that Eurofins Spectrum Analytical, Inc. is currently accredited for the specific method or analyte indicated. Please refer to our Quality web page at [www.spectrum-analytical.com](http://www.spectrum-analytical.com) for a full listing of our current certifications and fields of accreditation. States in which Eurofins Spectrum Analytical, Inc. holds NELAC certification are New York, New Hampshire, New Jersey, Pennsylvania and Florida. All analytical work for Volatile Organic and Air analysis are transferred to and conducted at our 830 Silver Street location (PA-68-04426).*

*Please contact the Laboratory or Technical Director at 800-789-9115 with any questions regarding the data contained in this laboratory report.*

Sample Summary

Work Order: SC45272  
Project: Gulf Terminal - Chelsea, MA  
Project Number: Gulf Chelsea

<u>Laboratory ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
SC45272-01	Outfall 003	Surface Water	29-Mar-18 13:40	30-Mar-18 17:03

**CASE NARRATIVE:**

Data has been reported to the RDL. This report excludes estimated concentrations detected below the RDL and above the MDL (J-Flag).

All non-detects and all results below the reporting limit are reported as "<" (less than) the reporting limit in this report.

The samples were received 1.2 degrees Celsius, please refer to the Chain of Custody for details specific to temperature upon receipt. An infrared thermometer with a tolerance of +/- 1.0 degrees Celsius was used immediately upon receipt of the samples.

If a Matrix Spike (MS), Matrix Spike Duplicate (MSD) or Duplicate (DUP) was not requested on the Chain of Custody, method criteria may have been fulfilled with a source sample not of this Sample Delivery Group. If method or program required MS/MSD/Dup were not performed, sufficient sample was not provided to the laboratory.

**There is no relevant protocol-specific QC and/or performance standards non-conformances to report.**

## Sample Acceptance Check Form

Client: Gulf Oil L.P.  
Project: Gulf Terminal - Chelsea, MA / Gulf Chelsea  
Work Order: SC45272  
Sample(s) received on: 3/30/2018

*The following outlines the condition of samples for the attached Chain of Custody upon receipt.*

	<u>Yes</u>	<u>No</u>	<u>N/A</u>
Were custody seals present?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Were custody seals intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Were samples received at a temperature of $\leq 6^{\circ}\text{C}$ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Were samples refrigerated upon transfer to laboratory representative?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Were sample containers received intact?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Were samples properly labeled (labels affixed to sample containers and include sample ID, site location, and/or project number and the collection date)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Were samples accompanied by a Chain of Custody document?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Does Chain of Custody document include proper, full, and complete documentation, which shall include sample ID, site location, and/or project number, date and time of collection, collector's name, preservation type, sample matrix and any special remarks concerning the sample?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Did sample container labels agree with Chain of Custody document?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Were samples received within method-specific holding times?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Summary of Hits

Lab ID: SC45272-01

Client ID: Outfall 003

Parameter	Result	Flag	Reporting Limit	Units	Analytical Method
Total Suspended Solids	5.8		0.5	mg/l	SM2540D (11)

*Please note that because there are no reporting limits associated with hazardous waste characterizations or micro analyses, this summary does not include hits from these analyses if included in this work order.*

<u>Sample Identification</u>				<u>Client Project #</u>	<u>Matrix</u>	<u>Collection Date/Time</u>	<u>Received</u>						
<b>Outfall 003</b>				Gulf Chelsea	Surface Water	29-Mar-18 13:40	30-Mar-18						
SC45272-01													
<i>CAS No.</i>	<i>Analyte(s)</i>	<i>Result</i>	<i>Flag</i>	<i>Units</i>	<i>*RDL</i>	<i>MDL</i>	<i>Dilution</i>	<i>Method Ref.</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Analyst</i>	<i>Batch</i>	<i>Cert.</i>
<b>General Chemistry Parameters</b>													
	Total Suspended Solids	5.8		mg/l	0.5	0.2	1	SM2540D (11)	31-Mar-18	03-Apr-18	CMB	1804343	X

## General Chemistry Parameters - Quality Control

Analyte(s)	Result	Flag	Units	*RDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<b><u>SM2540D (11)</u></b>										
<b>Batch 1804343 - General Preparation</b>										
<b><u>Blank (1804343-BLK1)</u></b>					<u>Prepared: 31-Mar-18   Analyzed: 03-Apr-18</u>					
Total Suspended Solids	< 0.5		mg/l	0.5						
<b><u>LCS (1804343-BS1)</u></b>					<u>Prepared: 31-Mar-18   Analyzed: 03-Apr-18</u>					
Total Suspended Solids	<b>96.0</b>		mg/l	10.0	100		96	90-110		

## Notes and Definitions

dry	Sample results reported on a dry weight basis
NR	Not Reported
RPD	Relative Percent Difference

Laboratory Control Sample (LCS): A known matrix spiked with compound(s) representative of the target analytes, which is used to document laboratory performance.

Matrix Duplicate: An intra-laboratory split sample which is used to document the precision of a method in a given sample matrix.

Matrix Spike: An aliquot of a sample spiked with a known concentration of target analyte(s). The spiking occurs prior to sample preparation and analysis. A matrix spike is used to document the bias of a method in a given sample matrix.

Method Blank: An analyte-free matrix to which all reagents are added in the same volumes or proportions as used in sample processing. The method blank should be carried through the complete sample preparation and analytical procedure. The method blank is used to document contamination resulting from the analytical process.

Method Detection Limit (MDL): The minimum concentration of a substance that can be measured and reported with 99% confidence that the analyte concentration is greater than zero and is determined from analysis of a sample in a given matrix type containing the analyte.

Reportable Detection Limit (RDL): The lowest concentration that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operating conditions. For many analytes the RDL analyte concentration is selected as the lowest non-zero standard in the calibration curve. While the RDL is approximately 5 to 10 times the MDL, the RDL for each sample takes into account the sample volume/weight, extract/digestate volume, cleanup procedures and, if applicable, dry weight correction. Sample RDLs are highly matrix-dependent.

Surrogate: An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. These compounds are spiked into all blanks, standards, and samples prior to analysis. Percent recoveries are calculated for each surrogate.

Continuing Calibration Verification: The calibration relationship established during the initial calibration must be verified at periodic intervals. Concentrations, intervals, and criteria are method specific.





## CHAIN OF CUSTODY RECORD

**Special Handling:**

All TATs subject to laboratory approval  
Min. 24-hr notification needed for rushes  
Samples disposed after 30 days unless otherwise instructed

Gulf Chelsea

*Chelsia Termini*

...

Aleksandar Markovic

© 2006 The Authors  
Journal compilation © 2006 Blackwell Publishing Ltd

**QA/QC Reporting Notes:**  
\* additional charges may apply

MA DEP MCP CAM Report? ☐ Yes ☐ No

☐ Standard ☐ No QC

☐ ASP A\* ☐ ASP B\*

Rs:

1

☐ E-mail to: adams@guftail.com, cgill

report to 2 jennet, at Kindaaceon.

Condition upon receipt: Custody Seals: ☒ Present ☐ Intact ☐ Broke

Rev. Nov 2016

## Batch Summary

**1804343**

*General Chemistry Parameters*

1804343-BLK1

1804343-BS1

SC45272-01 (Outfall 003)